

LUSERNA



INDOOR&OUTDOOR


saimé
CERAMICHE DAL 1938

LUSERNA

ANTISCIVOLO R11-C

ANTISLIP. ANTIDERAPANTE. RUTSCHHEMMEND. ПРОТИВОСКОЛЬЗЯЩИЙ

ROC OUTDOOR

6 COLORI

Colors. Couleurs. Farben. Цвета

4 FORMATI

Sizes. Formats. Formate. Форматы

30x60 12"x24". 30x30 12"x12"

15x30 6"x12". 15x15 6"x6"

BORDI: Naturali. Rettificati

EDGES: Natural. Rectified

BORDS: Naturels. Rectifies

Natur - und rectifizierte Kante

КРАЯ: Натуральный. Ректифицированный



Ingelivo
Frostproof
Ingelif
Frostbeständig
Морозостойкий

BIANCO ROC

BEIGE ROC

Gres porcellanato con colorazione in massa

Porcelain stoneware with mass colouring. Grès cérame avec pate colorée

Durchgefärbtes Feinsteinzeug. Фарфоровый керамогранит, окрашенный по всей толщине



GRIGIO ROC

FUMO ROC

NERO ROC

MATTONE ROC



BIANCO ROC 15x30 . 6"x12" BEIGE ROC 15x30 . 6"x12"



LUSERNA
ROC
OUTDOOR



GRIGIO ROC 30x60 . 12"x24"

LUSERNA ROC OUTDOOR



BEIGE ROC 15x30 . 6"x12"

FUMO ROC 30x30 . 12"x12" BIANCO ROC 15x30 . 6"x12"





LUSERNA
ROC
OUTDOOR

LUSERNA

NATURALE INDOOR_OUTDOOR

LAPPATO INDOOR

5 COLORI

Colors. Couleurs. Farben. Цвета

3 FORMATI

Sizes. Formats. Formate. Форматы

30x60 12"x24". 30x30 12"x12". 15x30 6"x12"

BORDI: Naturali. Rettificati

EDGES: Natural. Rectified

BORDS: Naturels. Rectifies

Natur - und rectifizierte Kante

SUPERFICI: Naturale. Lappato

SURFACE: Natural. Semi-Polished

SURFACE: Naturelle. Lappato

OBERFLACHE: Matt. Halbpoliert

ПОВЕРХНОСТИ: Натуральная или лаппатированная



DIN 51130
R10
PER NATURALE



DIN 51130
R9
PER LAPPATO



Ingelivo
Frostproof
Ingelif
Frostbeständig
Морозостойкий

BIANCO NAT/LAP

Gres porcellanato con colorazione in massa

Porcelain stoneware with mass colouring. Grès cérame avec pate colorée

Durchgefärbtes Feinsteinzeug. Фарфоровый керамогранит, окрашенный по всей толщине



BEIGE NAT/LAP

GRIGIO NAT/LAP

FUMO NAT/LAP

NERO NAT/LAP



GRIGIO NATURALE RETT. 29,7x59,5 . 12"x24"

LUSERNA
NATURALE
INDOOR_OUTDOOR





NERO NATURALE RETT. 29,7x29,7 . 12"x12" NERO NATURALE RETT. 14,8x29,7 . 6"x12" BIANCO NATURALE RETT. 14,8x29,7 . 6"x12"

Naturale. Matt. Mat. Matt. Натуральный


Naturale Rettificato. Matt Rectified. Mat Rectifié. Matt Rektifiziert. Натуральный Ректифицированный

30x60 12"x24". 30x30 12"x12". 15x30 6"x12". 15x15 6"x6"


SIZES. Formats. Formate. Форматы




9 7666871 ROC **78 ●**
 9 7667201 ROC RET **84 ●**




9 7666831 ROC **78 ●**
 9 7667211 ROC RET **84 ●**




9 7666841 ROC **78 ●**
 9 7667221 ROC RET **84 ●**




8 7637391 ROC **70 ●**
 9 7667291 ROC RET **84 ●**




8 7637351 ROC **70 ●**
 9 7667301 ROC RET **84 ●**




8 7637361 ROC **70 ●**
 9 7667311 ROC RET **84 ●**



8 7615041 ROC **70 ●**
 9 7667341 ROC RET **89 ●**



8 7615061 ROC **70 ●**
 9 7667351 ROC RET **89 ●**



8 7615051 ROC **70 ●**
 9 7667361 ROC RET **89 ●**



8 7697311 ROC **70 ●**
 8 7666581 ROC RET **89 ●**




8 7697321 ROC **70 ●**
 8 7666591 ROC RET **89 ●**




8 7697331 ROC **70 ●**
 8 7666601 ROC RET **89 ●**

MOSAICO (5x5. 2"x2")
30x30. 12"x12"




9 7669041 ROC **124 ●**

MOSAICO (5x5. 2"x2")
30x30. 12"x12"



9 7669081 ROC **124 ●**

MOSAICO (5x5. 2"x2")
30x30. 12"x12"



9 7669061 ROC **124 ●**

Gres porcellanato con colorazione in massa


Porcelain stoneware with mass colouring. Grès cérame avec pate colorée

Durchgefärbtes Feinsteinzeug. Фарфоровый керамогранит, окрашенный по всей толщине




POSA CONSIGLIATA.


Recommendend installation. Installation recommandée. Installation empfohlen. Установка рекомендуется


1/2 NO - NO - NON - NEIN - HET




1/4 SI - YES - OUI - JA - ДА





 9 7666851 ROC 78 ●
 9 7667271 ROC RET 84 ●






 9 7666861 ROC 78 ●
 9 7667281 ROC RET 84 ●






 9 7675921 ROC 78 ●
 9 7675991 ROC RET 84 ●





 8 7637371 ROC 70 ●
 9 7667321 ROC RET 84 ●






 8 7637381 ROC 70 ●
 9 7667331 ROC RET 84 ●






 8 7666651 ROC 70 ●




 8 7615071 ROC 70 ●
 9 7667371 ROC RET 89 ●




 8 7615031 ROC 70 ●
 9 7667381 ROC RET 89 ●




 8 7615032 ROC 70 ●




 8 7697341 ROC 70 ●
 8 7666611 ROC RET 89 ●





 8 7697351 ROC 70 ●
 8 7666621 ROC RET 89 ●




 8 7697381 ROC 70 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"




 9 7669101 ROC 124 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"



 9 7669021 ROC 124 ●

GRID (1,5x10. 0,5"x3,75")
30x30. 12"x12"



 9 7669221 GRID ROC MIX135 ●

LUSERNA LAPINDOOR







Naturale. Matt. Mat. Matt. Натуральный

Naturale Rettificato. Matt Rectified. Mat Rectifié. Matt Rektifiziert. Натуральный Ректифицированный

Lappato Rettificato. Semi-polished Rectified. Lappato Rectifié. Halbpoliert und Rektifiziert. полуполированный Ректифицированный

30x60 12"x24". 30x30 12"x12". 15x30 6"x12"




SIZES. Formats. Formate. Форматы



- ⚡ 9 7667581 NAT 78 ●
- ⚡ 9 7667631 NAT RET 84 ●
- ⚡ 9 7667791 LAP RET 93 ●

- ⚡ 8 7667591 NAT 78 ●
- ⚡ 9 7667651 NAT RET 84 ●
- ⚡ 9 7667801 LAP RET 93 ●




- ⚡ 9 7667601 NAT 78 ●
- ⚡ 9 7667661 NAT RET 84 ●
- ⚡ 9 7667811 LAP RET 93 ●



- ⚡ 8 7666891 NAT 70 ●
- ⚡ 9 7667691 NAT RET 84 ●
- ⚡ 9 7667841 LAP RET 97 ●

- ⚡ 8 7666821 NAT 70 ●
- ⚡ 9 7667701 NAT RET 84 ●
- ⚡ 9 7667851 LAP RET 97 ●

- ⚡ 8 7666901 NAT 70 ●
- ⚡ 9 7667711 NAT RET 84 ●
- ⚡ 9 7667861 LAP RET 97 ●




- ⚡ 8 7666111 NAT 70 ●
- ⚡ 9 7667741 NAT RET 89 ●
- ⚡ 9 7667891 LAP RET 97 ●

- ⚡ 8 7666121 NAT 70 ●
- ⚡ 9 7667751 NAT RET 89 ●
- ⚡ 9 7667901 LAP RET 97 ●


- ⚡ 8 7666131 NAT 70 ●
- ⚡ 9 7667761 NAT RET 89 ●
- ⚡ 9 7667911 LAP RET 97 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"




- ⚡ 9 7669031 NAT 124 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"



- ⚡ 9 7669071 NAT 124 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"




- ⚡ 9 7669051 NAT 124 ●

NAT INDOOR/OUTDOOR

Gres porcellanato con colorazione in massa

Porcelain stoneware with mass colouring. Grès cérame avec pate colorée


Durchgefärbtes Feinsteinzeug. Фарфоровый керамогранит, окрашенный по всей толщине





POSA CONSIGLIATA

Recommend installation
Installation recommandée
Installation empfohlen
Установка рекомендуется


1/2 NO - NO - NON - NEIN - HET




1/4 SI - YES - OUI - JA - ДА




- ✚ 9 7667611 NAT 78 ●
- ✚ 9 7667671 NAT RET 84 ●
- ✚ 9 7667821 LAP RET 93 ●




- ✚ 9 7667621 NAT 78 ●
- ✚ 9 7667681 NAT RET 84 ●
- ✚ 9 7667831 LAP RET 93 ●




- ✚ 8 7666911 NAT 70 ●
- ✚ 9 7667721 NAT RET 84 ●
- ✚ 9 7667871 LAP RET 97 ●



- ✚ 8 7666881 NAT 70 ●
- ✚ 9 7667731 NAT RET 84 ●
- ✚ 9 7667881 LAP RET 97 ●




- ✚ 8 7666141 NAT 70 ●
- ✚ 9 7667771 NAT RET 89 ●
- ✚ 9 7667921 LAP RET 97 ●




- ✚ 8 7666151 NAT 70 ●
- ✚ 9 7667781 NAT RET 89 ●
- ✚ 9 7667931 LAP RET 97 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"




- ✚ 9 7669091 NAT 124 ●

MOSAICO (5x5. 2"x2")
30x30. 12"x12"



- ✚ 9 7669011 NAT 124 ●

GRID (1,5x10. 0,5"x3,75")
30x30. 12"x12"



- ✚ 9 7669222 GRID NAT. MIX 135 ●

00 ●

Articoli venduti a mq
Products sold by square metre
Articles vendus au m2
Artikel pro Quadratmeter
Артикулы, продающиеся кв. метрами

00 ▲


Articoli venduti a pezzo
Products sold as units
Articles vendus à l'unité
Artikel pro Stück
Артикулы, продающиеся поштучно

ROC




Battiscopa Roc 14 ▲
7,5x30 . 3"x24"

7669251 BIANCO ROC
7669271 GRIGIO ROC
7669261 FUMO ROC
7669281 NERO ROC
7669241 BEIGE ROC
7669243 MATTONE ROC



Gradino Step Roc 48 ▲
30x60 . 12"x24"

7668241 BIANCO ROC
7668261 GRIGIO ROC
7668251 FUMO ROC
7668271 NERO ROC
7668231 BEIGE ROC




Elemento L Pressa Roc 44 ▲
3,5x15x30 . 1,4"x6"x12"

7666489 BIANCO ROC
7666509 GRIGIO ROC
7666499 FUMO ROC
7666519 NERO ROC
7666479 BEIGE ROC
7666518 MATTONE ROC




Gradone DP Rett. 78 ▲
33,3x29,7 . 13"x12"

7690004 BIANCO ROC
7690034 GRIGIO ROC
7690024 FUMO ROC
7690044 NERO ROC
7690014 BEIGE ROC
7690054 MATTONE ROC



Angolare DP Sx Rett. 102 ▲
33,3x29,7 . 13"x12"


7690124 BIANCO ROC
7690154 GRIGIO ROC
7690144 FUMO ROC
7690164 NERO ROC
7690134 BEIGE ROC
7690174 MATTONE ROC



Angolare DP Dx Rett. 102 ▲
33,3x29,7 . 13"x12"


7690064 BIANCO ROC
7690094 GRIGIO ROC
7690084 FUMO ROC
7690104 NERO ROC
7690074 BEIGE ROC
7690114 MATTONE ROC

NATURALE



Battiscopa Nat 34 ▲
7,5x60 . 3"x24"


7668141 BIANCO NAT
7668161 GRIGIO NAT
7668151 FUMO NAT
7668171 NERO NAT
7668131 BEIGE NAT



Gradino Step Nat 48 ▲
30x60 . 12"x24"

7668191 BIANCO NAT
7668211 GRIGIO NAT
7668201 FUMO NAT
7668221 NERO NAT
7668181 BEIGE NAT


LAPPATO



Battiscopa Lap Rett. 14 ▲
7,5x29,7 . 3"x12"


7669252 BIANCO LAP RETT.
7669272 GRIGIO LAP RETT.
7669262 FUMO LAP RETT.
7669282 NERO LAP RETT.
7669242 BEIGE LAP RETT.

ROC. NATURALE. LAPPATO



Torello Gradino Rett. 99 ▲
4x59,5 . 1,5"x24"

7671249 BIANCO
7671259 GRIGIO
7671269 FUMO
7671279 NERO
7671289 BEIGE
7671288 MATTONE



Torello Set Angolare Rett. 126 ▲
4x59,5 . 1,5"x24"

7671299 BIANCO
7671309 GRIGIO
7671319 FUMO
7671329 NERO
7671339 BEIGE
7671338 MATTONE

IMBALLI. EMBALLAGES. PACKING. VERPACKUNG. УПАКОВКА

	mm ▲▼	PZ.	MQ.	BOX	MQ.	KG.
ROC						
30x60 roc	9	7	1,26	40	50,40	1040
29,7x59,5 roc ret.	9	7	1,24	40	49,60	1000
30x30 roc	8	13	1,17	48	56,16	960
29,7x29,7 roc ret.	9	11	0,97	48	46,56	912
15x30 roc	8	23	1,04	75	78,00	1200
14,8x29,7 roc ret.	9	16	0,70	56	39,20	728
15x15 roc	8	46	1,04	75	78,00	1200
14,8x14,8 roc ret.	9	32	0,70	56	39,20	800,80
Mosaico 30x30 roc	9	11	1,00	30	30,00	570
7,5x30 battiscopa roc	-	32	9,6 ML	-	-	-
30x60 gradino step roc	9	7	4,2 ML	-	-	-
3,5x15x30 elemento L pressa roc	-	8	2,4 ML	-	-	-
33,3x29,7 gradone DP roc	-	4	118,8 ML	-	-	-
33,3x29,7 angolare DP dx-sx	-	2	59,4 ML	-	-	-
NATURALE/LAPPATO						
30x60 nat	9	7	1,26	40	50,40	1040
29,7x59,5 nat/lap ret.	9	7	1,24	40	49,60	1000
30x30 nat	8	13	1,17	48	56,16	960
29,7x29,7 nat/lap ret.	9	11	0,97	48	46,56	912
15x30 nat	8	23	1,04	75	78,00	1200
14,8x29,7 nat/lap ret.	9	16	0,70	56	39,20	728
Mosaico 30x30 nat	9	11	1,00	30	30,00	570
7,5x60 battiscopa nat	-	14	8,4 ML	-	-	-
7,5x29,7 battiscopa lap ret.	-	32	9,5 ML	-	-	-
30x60 gradino step nat	9	7	4,2 ML	-	-	-
4x59,5 torello gradino ret.	-	4	2,38 ML	-	-	-
4x59,5 torello set angolare ret.	-	2 set	-	-	-	-

AVVERTENZA ATTENTION. WARNING. ACHTUNG. ВНИМАНИЕ

NELLA POSA CON VERSIONE RETTIFICATA UTILIZZARE SEMPRE UNA FUGA DI 2 MM.
DANS LA POSE AVEC DES CARREAUX RECTIFIES NOUS VOUS CONSEILLONS D'UTILIZER TOUJOURS DES JOINTS DE 2 MM.
LAYING RECTIFIED ITEMS, ALWAYS USE A 2 MM JOINT.
BEI DER VERLEGUNG KALIBRIERTER FLIESEN IST IMMER EINE FUGE VON 2 MM ZU EMPFEHLEN.
ПРИ УКЛАДКЕ РЕКТИФИЦОВАННОГО МАТЕРИАЛА ВСЕГДА ДЕЛАТЬ ШОВ МИНИМУМ 2 MM.

GRES PORCELLANATO CON COLORAZIONE IN MASSA PORCELAINED STONEWARE WITH MASS COLOURING GRES CERAME AVEC PATE COLOREE DURCHGEFÄRBTES FEINSTEINZEUG GRES PORCELÁNICO CON COLORACIÓN EN MASA ФАРФОРОВЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ		GRUPPO DI APPARTENENZA SECONDO ISO 13006 CLASS GROUPE D'APPARTENANCE ZUGEHÖRIGKEITSGRUPPE GRUPO DE PERTENENCIA ГРУППА ПРИНАДЛЕЖНОСТИ			
Simbologia Symbolics Symboles Symbole Simbologias Символы	Caratteristiche Features Caracteristiques Eigenschaften Caracteristicas Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	Valore medio Saima Saima mean value Valeur moyenne Saima Durchschnittswert-Saima Valor medio Saima Среднее значение Saima	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания
	Dimensione lati Dimensions-Lenght and widht Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho Размеры сторон	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Rettilineità dei lati Side straightness Rectitude des arêtes Geradlinigkeit der Kanten Rectilinedad de los lados Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Ortogonalità degli spigoli Corner squariness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Planarità Flatness Planéité Ebenflächigkeit Planicidad Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Spessore Thickness Epaisseur Dicke Grosor Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение	%	< 0,2	≤ 0,5	UNI EN ISO 10545-3
	Sforzo di rottura Breaking strenght Contrainte de rupture Bruchkraft Esfuerzo de rotura Разрушающее усилие	N	> 1600	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4
	Modulo di rottura Modulus of rupture Coefficient de rupture Bruchmodul Módulo de rotura Модуль разрыва	N/mm ²	> 40	≥ 35	UNI EN ISO 10545-4
	Dilatazione termica lineare Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linear Wärmeausdehnungs-Koeffizient Coeficiente de dilatación térmica lineal Линейное тепловое расширение	°MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-8
	Resistenza agli sbalzi termici Thermal shock resistyance Résistance aux chocs thermiques Temperaturwechsel Beständigkeit Resistencia a choque térmico Стойкость к перепадам температуры	-	resiste resist résiste widerstandsfähig resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-9
	Resistenza alle macchie Stain resistance Résistance au tâches Flecken Beständigkeit Resistencia a las manchas Стойкость к образованию пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14
	Resistenza ai prodotti chimici di uso domestico Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos quimicos Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig conforme соответствует	MIN GB	UNI EN ISO 10545-13
	Resistenza agli acidi e alle basi a bassa concentrazione Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	MIN GLB	secondo classificazione prodotto according to product classification selon classification produit Gemäß Produktklassifizierung СОГЛАСНО КЛАССИФИКАЦИИ ПРОДУКЦИИ	UNI EN ISO 10545-13
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	-	resiste resist résiste widerstandsfähig resiste стойкий	richiesta request demande anfrage solicitud требуемое значение	UNI EN ISO 10545-12
	Stabilità dei colori Colour stability Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable stable stabil estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	DIN 51094
	E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI CERTIQUALITY The list of our items certified by "UNI" is available for our customers Pour tous nos clients est disponible la liste de nos produits avec la certification UNI Den Kunden steht eine Aufstellung zur Verfügung der Artikeln die mit UNI Zertifikat bescheinigt wurden La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela. Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI				

LUSERNA



SAIME CERAMICHE

Via Abetone Inferiore, 24

41053 Maranello MO Italy

LAT: 44.5409960 (44° 32' 27.586")

LNG: 10.8615504 (10° 51' 41.581")

Tel. +39 0536 869611

Fax +39 0536 843823

+39 0536 830313

+39 0536 832533

+39 0536 869681

saime@riwal.it

www.saimeceramiche.com



Sede legale e amministrativa:

NUOVA RIWAL CERAMICHE s.r.l.

Via Ghiarola Nuova, 101

41042 Fiorano Modenese MO Italy

Tel. +39 0536 869411

Fax +39 0536 837321

info@riwal.it

www.riwal.it



“
Ceramics of Italy”