




district

saima
CERAMICHE DAL 1938

district

bianco

beige

grigio

nero



DISTRICT Bianco 60x120 . 24"x47" rett. ≈ 9 mm



bianco

formati modulari



60x120 (24"x47")
rett.
8600891 bianco rett.



60x60 (24"x24")
rett.
8600890 bianco rett.



30x60 (12"x24")
rett.
8600892 bianco rett.



30x30 (12"x12")
rett.
8600893 bianco rett.



15x15 (6"x6")
non rett.
7697402 bianco

mosaico 5x5 (2"x2")



30x30 (12"x12")
7689245 bianco nat.

PEZZI SPECIALI

trims - pieces speciales - formstücke



battiscopa rett.
7,5x60 (3"x24")
8600897 bianco rett.

14



gradino step rett.
30x60 (12"x24")
8600894 bianco rett.

7




* gradone cr rett.
33,3x60 (13"x24")
7688908 bianco rett.

4



* angolare cr sx rett.
33,3x60 (13"x24")
7688910 bianco rett.

2



* angolare cr dx rett.
33,3x60 (13"x24")
7688909 bianco rett.

2

* DISPONIBILE SU RICHIESTA AVAILABLE ON REQUEST / DISPONIBLES SUR DEMANDE / VERFÜGBAR AUF WUNSCH

IMBALLI packing - emballages - verpackung

F.TO NOMINALE / NOMINAL SIZE	mm.	PCS / BOX	M2 / BOX	BOX / PLT	M2 / PLT	KG. / PLT
60x120 rett.	9	2	1,44	36	51,84	1026
60x60 rett.	9	3	1,08	40	43,20	860
30x60 rett.	9	7	1,26	40	50,40	960
30x30 rett.	9	11	0,99	48	47,52	1056
15x15 non rett.	8	46	1,04	75	78	1200
30x30 mosaico	9	11	1	30	30	603



DISTRICT Beige 60x120 . 24"x47" rett. ≈ 9 mm

beige

formati modulari

60x120 (24"x47")
rett.
8600881 beige rett.

60x60 (24"x24")
rett.
8600880 beige rett.

30x60 (12"x24")
rett.
8600882 beige rett.

30x30 (12"x12")
rett.
8600883 beige rett.

15x15 (6"x6")
non rett.
7697412 beige

mosaico 5x5 (2"x2")

30x30 (12"x12")
7689235 beige nat.

PEZZI SPECIALI

trims - pieces speciales - formstücke

battiscopa rett.
7,5x60 (3"x24")
8600887 beige rett.
14

gradino step rett.
30x60 (12"x24")
8600884 beige rett.
7

*** gradone cr rett.**
33,3x60 (13"x24")
7688898 beige rett.
4

*** angolare cr sx rett.**
33,3x60 (13"x24")
7688900 beige rett.
2

*** angolare cr dx rett.**
33,3x60 (13"x24")
7688899 beige rett.
2

* DISPONIBILE SU RICHIESTA AVAILABLE ON REQUEST / DISPONIBLES SUR DEMANDE / VERFÜGBAR AUF WUNSCH

IMBALLI

packing - emballages - verpackung

F.TO NOMINALE / NOMINAL SIZE	mm.	PCS / BOX	M2 / BOX	BOX / PLT	M2 / PLT	KG. / PLT
60x120 rett.	9	2	1,44	36	51,84	1026
60x60 rett.	9	3	1,08	40	43,20	860
30x60 rett.	9	7	1,26	40	50,40	960
30x30 rett.	9	11	0,99	48	47,52	1056
15x15 non rett.	8	46	1,04	75	78	1200
30x30 mosaico	9	11	1	30	30	603

5

district

4


5

district



DISTRICT Grigio 60x120 . 24"x47" rett. ≈ 9 mm



grigio	
formati modulari	
	
60x120 (24"x47") rett. 8600901 grigio rett.	60x60 (24"x24") rett. 8600900 grigio rett.
	
30x60 (12"x24") rett. 8600902 grigio rett.	30x30 (12"x12") rett. 8600903 grigio rett.
	
15x15 (6"x6") non rett. 7697392 grigio	

mosaico 5x5 (2"x2")

30x30 (12"x12") 7689255 grigio nat.

PEZZI SPECIALI
trims - pieces speciales - formstücke



battiscopa rett.
7,5x60 (3"x24")
8600907 grigio rett.
14 




gradino step rett.
30x60 (12"x24")
8600904 grigio rett.
7 



* gradone cr rett.
33,3x60 (13"x24")
7688918 grigio rett.
4 



* angolare cr sx rett.
33,3x60 (13"x24")
7688920 grigio rett.
2 



* angolare cr dx rett.
33,3x60 (13"x24")
7688919 grigio rett.
2 

* DISPONIBILE SU RICHIESTA AVAILABLE ON REQUEST / DISPONIBLES SUR DEMANDE / VERFÜGBAR AUF WUNSCH

IMBALLI packing - emballages - verpackung

F.TO NOMINALE / NOMINAL SIZE	 mm.	 PCS / BOX	 M2 / BOX	 BOX / PLT	 M2 / PLT	 KG. / PLT
60x120 rett.	9	2	1,44	36	51,84	1026
60x60 rett.	9	3	1,08	40	43,20	860
30x60 rett.	9	7	1,26	40	50,40	960
30x30 rett.	9	11	0,99	48	47,52	1056
15x15 non rett.	8	46	1,04	75	78	1200
30x30 mosaico	9	11	1	30	30	603

nero

DISTRICT Nero 60x120 . 24"x47" rett. ≈ 9 mm

nero

formati modulari



60x120 (24"x47")
rett.
8600911 nero rett.



60x60 (24"x24")
rett.
8600910 nero rett.



30x60 (12"x24")
rett.
8600912 nero rett.



30x30 (12"x12")
rett.
8600913 nero rett.



15x15 (6"x6")
non rett.
7697422 nero

mosaico 5x5 (2"x2")



30x30 (12"x12")
7689265 nero nat.

PEZZI SPECIALI

trims - pieces speciales - formstücke



battiscopa rett.
7,5x60 (3"x24")
8600917 nero rett.

14



gradino step rett.
30x60 (12"x24")
8600914 nero rett.

7




* **gradone cr rett.**
33,3x60 (13"x24")
7688828 nero rett.

4



* **angolare cr sx rett.**
33,3x60 (13"x24")
7688930 nero rett.

2



* **angolare cr dx rett.**
33,3x60 (13"x24")
7688929 nero rett.

2

* DISPONIBILE SU RICHIESTA AVAILABLE ON REQUEST / DISPONIBLES SUR DEMANDE / VERFÜGBAR AUF WUNSCH

IMBALLI packing - emballages - verpackung

F.T.O NOMINALE / NOMINAL SIZE	mm.	PCS / BOX	M2 / BOX	BOX / PLT	M2 / PLT	KG. / PLT
60x120 rett.	9	2	1,44	36	51,84	1026
60x60 rett.	9	3	1,08	40	43,20	860
30x60 rett.	9	7	1,26	40	50,40	960
30x30 rett.	9	11	0,99	48	47,52	1056
15x15 non rett.	8	46	1,04	75	78	1200
30x30 mosaico	9	11	1	30	30	603



DISTRICT Grigio roc 30x60 . 12"x24" rett. ≈ 9 mm

DISTRICT Bianco roc 60x60 . 24"x24" rett. ≈ 9 mm

DISTRICT Bianco 60x60 . 24"x24" rett. ≈ 9 mm

bianco roc

grigio roc

beige roc

formati modulari

60x60 (24"x24")
rett.
8600940 bianco roc rett.
8600950 grigio roc rett.
8600930 beige roc rett.

30x60 (12"x24")
rett.
8600941 bianco roc rett.
8600951 grigio roc rett.
8600931 beige roc rett.

PEZZI SPECIALI

trims - pieces speciales - formstücke

gradino step rett.
30x60 (12"x24")
7

8600944 bianco roc rett.
8600934 beige roc rett.
8600954 grigio roc rett.

DIN 51130
R11 (roc)

DIN 51097
A+B+C (roc)

IMBALLI

packing - emballages - verpackung

F.TO NOMINALE / NOMINAL SIZE	mm.	PCS / BOX	M2 / BOX	BOX / PLT	M2 / PLT	KG. / PLT
60x60 rett.	9	3	1,08	40	43,20	860
30x60 rett.	9	7	1,26	40	50,40	960

11

district

V2	LIEVE STONALIZZAZIONE SLIGHT VARIATION LEGERE VARIATION GERINGE ABWEICHUNG	GM	Posa 1/4	Fuga 2 mm per rett.
---------------	---	---------------	--	--

GM	GRES PORCELLANATO CON COLORAZIONE IN MASSA PORCELAINED STONEWARE WITH MASS COLOURING GRES CERAME AVEC PATE COLOREE DURCHGEFÄRBTES FEINSTEINZEUG GRES PORCELÁNICO CON COLORACIÓN EN MASA ФАРФОРОВЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ		GRUPPO DI APPARTENENZA SECONDO ISO 13006 CLASS GROUPE D'APPARTENANCE ZUGEHÖRIGKEITSGRUPPE GRUPO DE PERTENENCIA ГРУППА ПРИНАДЛЕЖНОСТИ		CE Bla GL
Simbologia Symbolics Symboles Symbole Simbologias Символы	Caratteristiche Features Caracteristiques Eigenschaften Características Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	Valore medio Saima Saima mean value Valeur moyenne Saima Durchschnittswert-Saima Valor medio Saima Среднее значение Saima	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания
	Rettilinearità dei lati Side straightness Rectitude des arêtes Geradlinigkeit der Kanten Rectilíneidad de los lados Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Ortogonalità degli spigoli Comer squaranness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Planarità Flatness Planéité Ebenflächigkeit Planeidad Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Spessore Thickness Épaisseur Dicke Grosor Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение	%	< 0,2	≤ 0,5	UNI EN ISO 10545-3
	Sforzo di rottura Breaking strenght Contrainte de rupture Bruchkraft Esfuerzo de rotura Разрушающее усилие	N	≥ 1600 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4
	Modulo di rottura Modulus of rupture Coefficient de rupture Bruchmodul Módulo de rotura Модуль разрыва	N/mm²	> 40	≥ 35	UNI EN ISO 10545-4
	Dilatazione termica lineare Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Coeficiente de dilatación térmica lineal Линейное тепловое расширение	°MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-8
	Resistenza agli sbalzi termici Thermal shock resistyance Résistance aux chocs thermiques Temperaturwechsel Beständigkeit Resistencia a choque térmico Стойкость к перепадам температуры	-	resiste resist résiste widerstandsfähig resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-9
	Resistenza alle macchie Stain resistance Résistance au tâches Flecken Beständigkeit Resistencia a las manchas Стойкость к образованию пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14
	Resistenza ai prodotti chimici di uso domestico Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos quimicos Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig conforme соответствует	MIN GB	UNI EN ISO 10545-13
	Resistenza agli acidi e alle basi a bassa concentrazione Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	MIN GLB	secondo classificazione prodotto according to product classification selon classification produit Gemäß Produktklassifizierung согласно классификации продукции	UNI EN ISO 10545-13
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	-	resiste resist résiste widerstandsfähig resiste стойкий	richiesta request demande anfrage solicitud требуемое значение	UNI EN ISO 10545-12
	Stabilità dei colori Colour stability Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable stable stabil estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	DIN 51094



La costante ricerca tecnologica si riserva di apportare soluzioni estetiche migliorative rispetto a quanto proposto nel catalogo.
In view of constant technological research, we reserve the right to provide improved aesthetic solutions compared to those proposed in the catalogue.
La recherche technologique constante se reserve d'apporter des ameliorations esthetiques par rapport aux solutions proposees dans le catalogue.
Auf grund der ständigen technologischen forschung behalten wir uns vor, ästhetische verbesserungen an den im katalog angebotenen lösungen vorzunehmen.
В связи с постоянными технологическими исследованиями фирма оставляет за собой право на усовершенствование решений, предлагаемых в каталоге

I colori riprodotti nel presente catalogo sono soggetti alle tolleranze previste dalla stampa.
Colours showed on this catalogue are subject to tolerances due to printing.
Les coloris reproduits dans ce catalogue sont sujets aux tolérances prévues pour l'impression.
Die in diesem katalog wiedergegebenen farben sind den für den druck vorgesehenen schwankungen unterworfen.
Los colores reproducidos en este catálogo son sujetos a las tolerancias de la impresión.
Цвета, воспроизведенные в настоящем каталоге, имеют предусмотренные для печати допуски.



SAIME CERAMICHE
Via Giardini, 24 - 41042
Fiorano Modenese MO Italy
LAT: 44.5409960 (44° 32' 27.586")
LNG: 10.8615504 (10° 51' 41.581")
Tel. +39 0536 869611
Fax +39 0536 843823
+39 0536 869681

saime@riwal.it
www.saimeceramiche.com



NUOVA RIWAL CERAMICHE s.r.l.
CON SOCIO UNICO
Sede legale:
Via Giardini, 24 - 41042
Fiorano Modenese MO Italy
Sede amministrativa:
Via Statale 467, 109 - 42013
Casalgrande RE Italy

info@riwal.it
www.riwal.it

